

## SILENCERS

Order number



### COMBUSTION AIR SUCTION SILENCER

Minimises noise of combustion air suction

For Airtronic S and Airtronic M:

20 1689 80 05 00

For Hydronic S3:

22 1000 40 00 13



### EXHAUST SILENCERS

Optimised noise versus standard silencer for Airtronic pre-heaters

Variante Bild links

22 1000 40 19 00

Variante Bild rechts

22 1000 40 21 00



### HOT AIR INTAKE SILENCER

Minimises noise created by hot air flow. Attach to suction side.

For Airtronic S & Airtronic M:

330 00 072

Additional adapter required for Airtronic S (60 mm to 75 mm)

22 1000 01 00 08



### HOT AIR SILENCER

Minimises noise created by hot air flow.  
Attach to hot air outlet if sufficient space available.

For 75 mm air duct  
(Airtronic S & Airtronic M, depending on hood used):

25 1226 89 15 00

For 90 mm air duct (Airtronic M):

25 1226 89 17 00

## METERING PUMP HOLDER

Order number



Reduces noise transmission between metering pump and vehicle body.  
Bolted onto vehicle body.

20 1634 80 06 00

## TEMPERATURE SENSOR



### SENSOR, WALL-INTEGRATED

Temperature control sensor for wall integration,  
recessed mounting, minimum installation depth 40 mm

22 1000 35 21 00



### SENSOR, WALL-MOUNTED

Temperature control sensor for surface mounting

25 1774 89 03 00

## BLOWER HEAT EXCHANGERS



	Silencio 1 FAI	Silencio 2
Power	1.7 kW	5.5 kW
Dimensions	145 x 210 x 141 mm	152 x 321 x 125.5 mm
Energy consumption	max. 7 W	max. 16 W
Order number	83 0012 014081 0	83 0012014030 0

## AIR OUTLETS FOR AIRTRONIC AIR HEATERS



	Fitting	Airflow regulating element
	Order no.	Order no.
90 mm black	22 1000 01 0037	22 1000 01 0081
75 mm black	22 1000 01 0036	22 1000 01 0080
60 mm black	22 1000 01 0035	-
50 mm black	22 1000 01 0034	-
	Connector diameter must be equal to that of the air inlet	The inner connector diameter can be reduced using an air regulator



	Flat air outlet 0°	Flat air outlet 30°
	Order no.	Order no.
75/90 mm black	22 1000 01 0048	22 1000 01 0052
75/90 mm white	22 1000 01 0049	22 1000 01 0053
50/60 mm black	22 1000 01 0040	22 1000 01 0044
50/60 mm white	22 1000 01 0041	22 1000 01 0045



	Flat air outlet, closable	Raised air outlet 30°	Raised air outlet 90°
	Order no.	Order no.	Order no.
75/90 mm black	22 1000 01 0076	22 1000 01 0060	22 1000 01 0068
75/90 mm white	22 1000 01 0077	22 1000 01 0061	22 1000 01 0069
50/60 mm black	22 1000 01 0072	22 1000 01 0056	22 1000 01 0064
50/60 mm white	22 1000 01 0073	22 1000 01 0057	22 1000 01 0065

## HIGH ALTITUDE KIT



For the use of first generation Airtronic air heaters with the H-Kit logo on their rating plate at an altitude of 1500 - 3500 metres above sea level

22 1000 33 22 00